

## Label information

### Application of MinnFinn Max:

1. One bottle treats 8,000 gallons
2. It is recommended that the user wear gloves and eye protection when applying MinnFinn Max.
3. Make sure you have an accurate pond volume to avoid over dose and under dose (See our Pond Volume Calculator).
4. Increase aeration to tank/pond to maximize oxygen levels and to ensure proper mixing of treatment.
5. When treating Flukes and Costia leave filter online for the first treatment. When treating other diseases placing filter on bypass is optional. If left online expect small impact on nitrification for 2 to 3 days. Bypass filter for further treatments.
6. Dilute the required quantity of MinnFinn Max in a 3/4 full 5 gallon bucket(s) using water from the pond to be treated or tap water for up to 250 mL (8.45 US fluid ounces) of MinnFinn Max. Use a separate bucket for each 250 mL (8.45 US fluid ounces) of MinnFinn Max to be applied.
7. Spread the mixture around the entire edge of the pond or in the upwelling from an air diffuser to ensure good mixing which will reduce the potential of an area of high concentration fish may pass through.
8. Let MinnFinn treatment run for one (1) hour.
9. Normal treatment behavior will be lethargy, mild to moderate increase in respiration, and possible mild agitation.
10. See required NeuFinn directions (see below) for preparation prior to the end of the treatment.
11. If fish appear severely distressed indicated by rolling over and appear to be falling asleep, apply NeuFinn immediately anytime during the treatment.
12. Do not use with any other treatment.

### Application of NeuFinn Required:

1. While the MinnFinn Max treatment is underway, prepare the NeuFinn neutralizer for application.
2. In the same bucket(s) used to distribute the MinnFinn Max treatment, mix the required amount of NeuFinn neutralizer in a 3/4 full bucket with either pond or tap water. Stir to dissolve neutralizer Use a separate bucket for each 1/4 bag of NeuFinn applied.
3. After the one (1) hour MinnFinn Max treatment is complete, apply the dissolved NeuFinn to the pond in the same manner as you did the MinnFinn Max around the perimeter of the pond or over an air diffuser.
4. Return water flow to the pond and/or filter.

### Application Rates:

For every 100 gallons of pond water treat and neutralize with the following:

- .045 fl. oz. (12.5 mL) of MinnFinn Max Biodegradable Pond Treatment
- 3 measured teaspoons (17.25 g) of NeuFinn Neutralizer

For every 2,000 gallons of pond water treat and neutralize with the following:

- 8.45 fl. oz. (250 mL) of MinnFinn Max Biodegradable Pond Treatment
- 1-1/4 cups (345 g) of NeuFinn Neutralizer Benefits of MinnFinn

### **Benefits of MinnFinn Max:**

- Water changes not required after treatment.
- Completely eliminated after neutralization.
- No harmful environmental impact.
- Not cancer causing (unlike products containing formalin and malachite green).
- Increases dissolved oxygen.

### **Statement of Practical Treatment:**

Avoid contact with skin and if exposed rinse thoroughly with water and apply NeuFinn. In case of contact with eyes, flush with large amounts of water for at least fifteen (15) minutes. For eyes, get prompt medical attention. If swallowed, drink large amounts of water immediately to dilute. Do not attempt to induce vomiting. Call a physician immediately. For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec 1-800-424-9300. Outside the USA and District of Columbia call 7013-527-3887.

### **Storage & Disposal:**

1. Store in original container
2. Bottle contains liquid product with vented cap.
3. Store with indicated side up to prevent leakage.
4. Do not expose to direct sunlight.
5. Maintain temperature below 75°F (24°C)
6. Avoid contact with combustible materials.
7. Avoid contamination from any source, including metals, dust, etc. Such contamination may cause rapid decomposition, generation of large quantities of oxygen gas and high pressures.